


Amberclens

- Anti-Static Foaming Cleaner

A multipurpose, anti-static foaming cleaner. Ideal for general cleaning on a wide variety of electronic, industrial, aerospace and commercial equipment.



- Removes tough, stubborn stains such as grease, grime, dirt & nicotine
- Safe for use on plastics, metals, painted and glazed surfaces
- Anti-static formulation, reduces the attraction of airborne dust
- Foaming action limits over application
- Meets Military, Rail and Automotive specifications NATO catalogue no. 6550-99-2125987. Rail approved product cat. no. 7/7056, Ford Motor Company Tax no. 14849, British Coal Cat No. CF235
- Fitted with 360° Spray System for all angle use
- Quick and easy to use. Spray on, wipe off



P42

Order Code	Description	Size	€
6160001000	Anti-Static Foaming Cleaner	400ml	5.65

Ambersolv AB1

- Water Based Micro Emulsion Cleaner

Formulated from a blend of high-grade citrus oils and surfactants. An ideal alternative to traditional solvents and highly alkaline cleaners. Suitable for use in Aerospace and general industrial applications.



- Biodegradable, water-based formulation
- Non-flammable
- Does not contain chlorinated solvents, bleaching agents or abrasives
- Removes tough stubborn soiling such as oil, grease, tar, bitumen, dirt and grime, silicone, water based paints, inks & dyes
- Industrial strength, can be diluted 1:20 with water
- Meets many specifications: - Boeing D6-17487 - McDonnell Douglas CSD# 1, - AMS 1526B - Core laboratories EPA - classified as non-hazardous
- Safe on metals and most plastics
- Multi-use by spraying, soaking, immersion, wiping or ultrasonic
- Mild pH 9.3



P42

Order Code	Description	Size	€
6330061005	Water Based Micro-Emulsion Cleaner	5ltr	44.12

Amberclens Trigger

- High Performance Cleaner

Water based, biodegradable multi-surface cleaner. Presented in a convenient to use trigger spray. Ideal for use in industrial, aerospace, engineering and commercial cleaning/degreasing applications.

- Water based cleaner/degreaser
- Ready to use, no need for mixing or diluting
- Non-flammable
- Ideal for use on all hard surfaces and fabrics
- Aerospace approved - meets AMS 1550b Cathay Pacific specification MAR 26/01
- Safe on delicate plastics such as polycarbonate
- Viscous formulation allows application to vertical surfaces without wasteful run-off



P42

Order Code	Description	Size	€
6160001200	Water Based Multi-Surface Cleaner	750ml	7.92

Aquasafe RTU

- Biodegradable Cleaner Degreaser

Water based detergent cleaner that exhibits high solvency power. An ideal alternative to traditional solvents, suitable for use in Industrial, automotive, engineering, transport, aviation, marine and electronics applications.

- Non-flammable water based cleaner / degreaser
- Removes tough and stubborn soiling such as oil, grease, grime, silicone, wax, nicotine, soot, ink and coffee
- Super industrial strength, can be diluted 1:40 with water
- Safe on most plastics, rubber and painted surfaces
- Contains a highly effective corrosion inhibitor to help prevent flash rusting
- Multi use by spraying, soaking, brushing, immersion, wiping or ultrasonic



P42

Order Code	Description	Size	€
6060001570	Biodegradable Cleaner/Degreaser	750ml	11.82

COUPLINGS

HYDRAULICS

PNEUMATICS

BOSCH REXROTH PNEUMATICS

AIR TREATMENT

TUBE FITTINGS

HOSETAILS & ADAPTORS

STAINLESS STEEL

VALVES

TUBING & HOSECLIPS

HOSE REELS, PUMPS & GARAGE EQUIPMENT

AIR, WATER & PAINT GUNS

VACUUM EQUIPMENT

COMPRESSED AIR SYSTEMS

MALLEABLE IRON

TOOLS & MEASURING

AIR TOOLS COMPRESSORS

ENGINEERING MAINTENANCE

PARTS HANDLING & STORAGE

ALUMINIUM PROFILE & ACCESSORIES

SPILL CONTROL

Amberklene FE10**- Fast Drying Solvent**

A powerful, fast evaporating solvent cleaner/degreaser. Suitable for use in industrial, aviation, automotive, polymer processing, general engineering and textile applications.



- A fast and effective cleaner/degreaser
- Powerful flushing action, rapidly removes contaminants
- Evaporates to leave a clean, dry surface
- Safe for use on ferrous and non-ferrous metals and most plastics
- Meets military specification - NATO cat. no. 6850-99-6636478

P42

Order Code	Description	Size	€
6130002500	Fast Drying Solvent	400ml	8.80

Amberklene LO30**- Low Odour Solvent**

A powerful, fast drying, low odour cleaner /degreaser which benefits from good compatibility with a wide variety of materials. Ideal for use on industrial, aerospace, general engineering and precision cleaning.




- Highly effective cleaner/degreaser
- Fast evaporating, leaves surfaces clean & dry
- Outstanding compatibility with plastics
- Meets aerospace specifications
 - US Federal Specification TT-N-95B
 - Listed in British Airways standard practice manual
- Safe for use on metals & painted surfaces
- Ultra low conductivity
- Low odour, ideal for use in enclosed areas

P42

Order Code	Description	Size	€
6130002700	Low Odour Solvent	400ml	9.18

Amberklene ME20**- Heavy Duty Solvent**

A highly effective, heavy-duty cleaner/degreaser. Suitable for use in all industrial, aviation, automotive and engineering applications that require a stronger degreaser with a longer contact time.



- Heavy duty cleaner for extra stubborn stains and soiling
- Removes heavy deposits of oil and grease waxes and silicones
- Controlled evaporation
- Superior wetting properties ensures extended contact time with soiling
- Leaves a clean, dry surface
- Safe for use on ferrous and non-ferrous metals and some plastics
- High flash point +41°C

P42

Order Code	Description	Size	€
6130002600	Heavy Duty Solvent	400ml	8.96

Ambersolv SB1**- Citrus Based Solvent Cleaner**

High performance citrus based cleaning solvent. An ideal alternative to traditional chlorinated or highly volatile solvent cleaners, suitable for use in aerospace, industrial & general engineering.



- Natural based, high performance cleaner /degreaser
- Biodegradable
- Deep penetrating action
- Effective on a wide range of soiling such as oil, grease, tar, bitumen, silicone, rubber-based adhesives, oil-based paints, inks and dyes.
- Meets many aerospace and industry approvals
 - Boeing D6-17487 - McDonnell Douglas CSD#1
 - Pratt & Whitney PMC 1409/1/2/3/4 practice manual
- Safe on metals & most plastics
- Meets many aerospace & industry approvals

P42

Order Code	Description	Size	€
6160006000	Citrus Solvent Cleaner	400ml	9.04

COUPLINGS

HYDRAULICS

PNEUMATICS

BOSCH
REXROTH
PNEUMATICSAIR
TREATMENTTUBE
FITTINGSHOSETAILS &
ADAPTORSSTAINLESS
STEEL

VALVES

TUBING &
HOSECLIPSHOSE REELS,
PUMPS &
GARAGE
EQUIPMENTAIR, WATER
& PAINT
GUNSVACUUM
EQUIPMENTCOMPRESSED
AIR SYSTEMSMALLEABLE
IRONTOOLS &
MEASURINGAIR TOOLS
COMPRESSORSENGINEERING
MAINTENANCEPARTS
HANDLING
& STORAGEALUMINIUM
PROFILE &
ACCESSORIESSPILL
CONTROL

Ambertron - Contact Cleaner

An ultra pure, extremely fast evaporating contact cleaner. Ideal for use on electrical contact, switches, electrical assemblies, PCB's, relays and precision equipment.



- Excellent material compatibility. Safe for use on metals, glass, plastics & rubbers
- Non conductive
- Low odour
- Quick and efficient cleaning
- Very fast evaporation
- Leaves no residue
- Rail approved product. Cat. no. 07/07224
- Effective light duty degreaser, will remove grease, oils, waxes & silicone

NF Precision Cleaner - Non-Flammable Precision Cleaner

Ambersil Non-flammable Precision Cleaner is a true non-flammable alternative to commonly used solvent cleaners. It demonstrates highly efficient and powerful cleaning with a fast cleaning action.



- Chlorinated and Hydrocarbon solvent free
- CFC and HCFC free
- Non-flammable: No flame extension, FEA 607 E Passes drum test, FEA 610 E
- High dielectric strength: 17kV
- Fast evaporation rate
- Plastics safe

P42

Order Code	Description	Size	€
6130001500	Contact Cleaner	400ml	11.33

P42

Order Code	Description	Size	€
6130001560	Non-Flammable Contact Cleaner	400ml	27.02

IPA - Isopropyl Alcohol Electronic Cleaning Solvent

Universally accepted 'safe' solvent for the quick & efficient cleaning of delicate electrical & electronic components, in a wide variety of electronic, computing, aerospace & industrial applications.



- Gentle, yet highly effective alcohol based
- Excellent material compatibility, safe to use on plastics & rubber
- Can be used to remove moisture by forming an azeotrope - a mixture of IPA and water that evaporates quicker than water
- Conforms to BS1595, ASTM D770 & DIN53245
- Evaporates to leave a clean, dry surface

P42

Order Code	Description	Size	€
6130015080	Electronic Cleaning Solvent	250ml	6.08

Solvent Degreaser - Water Rinsable Degreaser

A powerful water rinsable, solvent-based degreaser. Designed to quickly penetrate and emulsify even the heaviest oil and grease. Ideal for use in the most demanding of industrial, automotive and engineering applications.

- Powerful solvent blend which cuts through oil based soiling
- High flash point +39°C
- Fast penetrating action
- Contains a highly effective emulsifier that enable dissolved oil/grease residues to mix with water for easy wash-off
- Safe on metals, painted surfaces and most plastics
- Multi-use by spraying, soaking, immersion, brushing & wiping



P42

Order Code	Description	Size	€
6130003100	Water Rinsable Degreaser	500ml	6.30

COUPLINGS

HYDRAULICS

PNEUMATICS

BOSCH REXROTH PNEUMATICS

AIR TREATMENT

TUBE FITTINGS

HOSETAILS & ADAPTORS

STAINLESS STEEL

VALVES

TUBING & HOSECLIPS

HOSE REELS, PUMPS & GARAGE EQUIPMENT

AIR, WATER & PAINT GUNS

VACUUM EQUIPMENT

COMPRESSED AIR SYSTEMS

MALLEABLE IRON

TOOLS & MEASURING

AIR TOOLS COMPRESSORS

ENGINEERING MAINTENANCE

PARTS HANDLING & STORAGE

ALUMINIUM PROFILE & ACCESSORIES

SPILL CONTROL

Anti-Static Spray

- Inhibits Static Build-Up

An alcohol/water based formulation for reducing electrostatic charges generated by friction, atmospheric charges generated by friction, atmospheric conditions or by dirt and dust build up, particularly on textile/paper machinery and VDUs. Anti-Static Spray reduces airborne dust accumulation and is safe to use on most substrates.

- Rapidly reduces electrostatic charges
- Quick and easy to use
- Inhibits airborne dust accumulation
- Allows longer periods between cleaning
- Non-toxic & soluble in water



Order Code	Description	Size	€
6130004020	Neutralises Static Electricity	400ml	6.84

Universal Screen Cleaner

- For TFT, LCD, Plasma & All VDU Screens

Universal Screen Cleaner is a highly effective screen cleaner formulated specifically for the removal of fingerprints, smudges, grime and other contaminants from delicate screens. The stable active foam clings to vertical surfaces preventing run-off and increasing contact time. The gentle foam helps penetrate grime on the screen to ensure exceptional first-time results.

- TFT computer screens
- Does not contain alcohol or ammonia
- Plasma screens and televisions
- LCD computer and television screens
- Industrial computer terminals
- Digital camera screens
- Static, mobile and portable electronic devices



Order Code	Description	Size	€
6130004050	Safe, Foaming Screen Cleaner	400ml	7.18



Air Duster

- Powerful, Dry, Inert Gas

A liquefied propellant which provides a powerful blast for the easy removal of dust and loose contamination from precision equipment such as cameras and printed circuit boards to general cleaning in areas where the use of a liquid cleaner may be undesirable.

- Non-flammable
- Powerful yet economical in use
- Extension tube helps to reach inaccessible/remote areas
- Non ozone depleting, does not contain CFC's or HCFC's
- Meets military specification
 - NATO catalogue No. 6830-99-3826112
- Safe on plastics, rubbers and painted surfaces

Order Code	Description	Size	€
6130012100	Powerful, Dry, Inert Gas	400ml	14.16

Invertible Air Duster

- Powerful, Dry, Inert Gas

Ambersil Invertible Air Duster works at any angle, even upside down, allowing servicing of intricate or immovable components. The powerful, dry blast of inert gas removes loose contamination from precision electrical equipment. Ideal for use by field/service engineers for difficult to reach or inaccessible areas where a conventional air duster cannot be used in an upright position.

- Removal of dust from PCB's and electrical components
- Cleaning of keyboards
- Removes dust from factory-floor computers & electrical equipment
- Can be used safely and efficiently on:
 - Keyboards, Computers, Cameras, Photocopiers,
 - Fax Machines, Microscopes, Lenses, Laboratory Equipment,
 - Oscilloscopes, Scanners

Order Code	Description	Size	€
6130004000	All Angle Air Duster	200ml	10.15

COUPLINGS

HYDRAULICS

PNEUMATICS

BOSCH
REXROTH
PNEUMATICSAIR
TREATMENTTUBE
FITTINGSHOSETAILS &
ADAPTORSSTAINLESS
STEEL

VALVES

TUBING &
HOSECLIPSHOSE REELS,
PUMPS &
GARAGE
EQUIPMENTAIR, WATER
& PAINT
GUNSVACUUM
EQUIPMENTCOMPRESSED
AIR SYSTEMSMALLEABLE
IRONTOOLS &
MEASURINGAIR TOOLS
COMPRESSORSENGINEERING
MAINTENANCEPARTS
HANDLING
& STORAGEALUMINIUM
PROFILE &
ACCESSORIESSPILL
CONTROL

GS5 Gasket Stripper

- Universal Gasket Stripper

A non-running, fast acting, foaming gasket remover. Works on vertical surfaces. Reduces scraping and sanding. Prevents damage to flanges. Also removes other difficult to shift contaminants.

- Prepares surfaces for new assemblies
- Removes old gaskets (inc. silicones & mastics)
- Removes two part paints
- Fast acting: works in less than 20 mins. at 25°C
- Excellent temperature tolerance: -35°C to +35°C
- Non-flammable



P42

Order Code	Description	Size	€
63700M7028	Gasket Stripper	400ml	11.82

Label Remover

- For Self-Adhesive Labels and Stickers

Unique, speciality product that provides the instant answer to the problem of removing old labels and unsightly label residues from a wide variety of surfaces.



- Fast & effective removal of self-adhesive paper labels
- Quickly breaks down adhesive residues
- Controlled evaporation enables time for solvent to penetrate label
- Pleasant citrus smell
- No need to scratch and scrape
- Safe on most surfaces
- Also an effective cleaner for the removal of some inks and dyes



P42

Order Code	Description	Size	€
6190012000	For Self Adhesive Labels & Stickers	200ml	7.45

Hard Surface Cleaner - Multi-Surface Detergent Cleaner

A concentrated water-based, highly alkaline detergent cleaner. Suitable for hot and cold use, when diluted with water it will quickly remove numerous different types of soiling and contamination.

- Removes a wide variety of soiling including: Grease, Oil, Wax and Polish
- Can be used on almost any hard surface: Concrete Floors, Walls, Doors, Marble, Duct Work, Signs, Terrazzo, and more
- High-Foam action helps break down soiling
- Non-flammable
- Very economical: dilute from 6:1 up to 4:1
- Safe on plastics, rubber and painted surfaces



P42

Order Code	Description	Size	€
6330007005	Concentrated Multi-Purpose Cleaner	5ltr	20.50
6330007025	Concentrated Multi-Purpose Cleaner	25ltr	89.50

COUPLINGS

HYDRAULICS

PNEUMATICS

BOSCH
REXROTH
PNEUMATICS

AIR
TREATMENT

TUBE
FITTINGS

HOSETAILS &
ADAPTORS

STAINLESS
STEEL

VALVES

TUBING &
HOSECLIPS

HOSE REELS,
PUMPS &
GARAGE
EQUIPMENT

AIR, WATER
& PAINT
GUNS

VACUUM
EQUIPMENT

COMPRESSED
AIR SYSTEMS

MALLEABLE
IRON

TOOLS &
MEASURING

AIR TOOLS
COMPRESSORS

ENGINEERING
MAINTENANCE

PARTS
HANDLING
& STORAGE

ALUMINIUM
PROFILE &
ACCESSORIES

SPILL
CONTROL

40+

- Protective Lubricant

The complete maintenance treatment for protection against corrosion, water displacement, lubrication and flash rust removal. Too many applications to list, but more than 40!. The engineer's essential cure all.



- Quickly frees seized nuts, bolts and bearings
- High corrosion protection & water displacement properties
- Remains operational at sub-zero temps.
- Non conductive film
- Safe on most paints, rubbers and plastics
- Rolls Royce & Rail approved 1036J
- Rail approved product Catalogue No. 27/29302
- Treated metals resist finger printing and remain bright even in highly corrosive conditions
- Operational temp: -20°C to +115°C

P42

Order Code	Description	Size	€
6130007000	Protective Lubricant	400ml	5.33
6130005100	Protective Lubricant	5ltr	30.76

AMS4

- Multi-Purpose Silicone Grease

XG 250 Silicone grease in easy to apply aerosol form. Provides a smooth non-melting coating that insulates, lubricates, seals, preserves and waterproofs.



- Insulates high voltage parts against leaking or arcing
- Waterproofs electronics in damp or humid conditions
- Seals against moisture ingress and prevents ice build-up
- Meets military, rail and aviation specifications
- Preserves rubber against hardening or cracking
- Assists assembly of close tolerance components

P42

Order Code	Description	Size	€
6130008500	Multi-Purpose Silicone Grease	400ml	13.83

AGL1 - Multi Purpose Greaseless Lub. for Electrical Equipment

A multi-purpose, greaseless lubricant preventing electrical and electronic malfunction caused by water penetration, humidity, condensation or corrosion. The stable, low surface tension, high capillary action formula provides great penetrating and wetting power.



- Provides precision lubrication by its thin, high dielectric strength, lubricating film
- Cleans, lubricates, protects, penetrates & loosens corrosion
- Restores resistance value by reducing current leakage
- Temp. Range: -20°C to +115°C
- Can be used on all metal & alloys, plastics, painted surfaces, coatings & rubbers

P42

Order Code	Description	Size	€
6130009000	Greaseless Lubricant	400ml	7.93

Chainspray

- Chain and Drive Lubricant

A high solids content, heat dissipating lubricant specifically developed for mechanical handling & drive chain lubrication. Penetrates deeply into links ensuring total lubrication; can be applied to moving chains.



- Offers max. adhesion to chain links
- Resists 'water wash off' & dust absorption
- Resists 'throw off' and can be applied to running chains
- High temp. resistance up to +200°C (300°C intermittent)
- Meets military specifications
- Pencil jet spray pattern to facilitate accurate application

P42

Order Code	Description	Size	€
6150001100	Chain & Drive Lubricant	400ml	12.92

COUPLINGS

HYDRAULICS

PNEUMATICS

BOSCH REXROTH PNEUMATICS

AIR TREATMENT

TUBE FITTINGS

HOSETAILS & ADAPTORS

STAINLESS STEEL

VALVES

TUBING & HOSECLIPS

HOSE REELS, PUMPS & GARAGE EQUIPMENT

AIR, WATER & PAINT GUNS

VACUUM EQUIPMENT

COMPRESSED AIR SYSTEMS

MALLEABLE IRON

TOOLS & MEASURING

AIR TOOLS COMPRESSORS

ENGINEERING MAINTENANCE

PARTS HANDLING & STORAGE

ALUMINIUM PROFILE & ACCESSORIES

SPILL CONTROL

Belt Dressing

- Adhesive Belt Lubricant

A clear liquid formulated specifically for use on all types of belts to increase pulling power, prevent belt slippage due to heat, cold, dampness or dust, and eliminate belt squeak.



- Works on all type of belt - vee, flat, toothed, rubber, leather, and fabric
- Keeps belts 'soft' and glaze free
- Protects belts from deterioration through oxidation and heat
- Waterproofs



P42

Order Code	Description	Size	€
6190014000	Adhesive Belt Dressing	400ml	9.51

Gear & Wire Rope Lubricant

- Heavy Duty Lubricant

A fast drying, high solids, high penetrating lubricant that forms a tough, durable barrier against corrosion, abrasion, dust absorption, water wash off and extremes of temperature.



- Deep penetration for internal protection of wire ropes
- Forms a dry non-peeling film that overcomes the limitations of grease lubrication and pressure cushions
- Pencil jet spray pattern to facilitate accurate application
- Suitable for use on gears in motion and at all speeds



P42

Order Code	Description	Size	€
6150007000	Heavy Duty Lubricant	400ml	13.51

Rust Flash

- Rust Loosener with Freeze Shock Effect

An advanced formulation based on laws of thermodynamics which rapidly freezes rust down to -40°C causing micro-fissures to form in the rust layer. This enables deeper penetration and faster removal.



- Freezes metal parts seized by dirt, rust etc.
- Ensures quick disassembly of mechanical components, fittings, assemblies, nuts and bolts, and other close tolerance fasteners
- Reduces maintenance costs through time saving
- Reduces scrap rate of seized parts
- Does not contain silicones
- Safe for use on all metals and for most plastics and rubbers (users should conduct their own testing prior to use)
- Fitted with the 360° Spray System for all angle use



P42

Order Code	Description	Size	€
6150003601	Rust Loosener with Freeze Shock	500ml	7.05

Penetrating Oil

- Penetrant for Seized Parts

An extreme low surface tension lubricant that wets out and penetrates deeply and quickly to aid the swift removal of seized and rusted components. The industrial formulation ensures even the most heavily corroded fasteners may be freed easily.



- Frees seized components rapidly
- Lubricates fine and close tolerance threads
- Corrosion inhibiting lubricant facilitates re-assembly
- Removes light surface rust
- Contains MoS₂
- Softens and removes carbon deposits
- Safe on metals, alloys and most paints, rubbers, plastics and protection.



P42

Order Code	Description	Size	€
6150003600	Penetrant for Seized Parts	400ml	7.42

COUPLINGS

HYDRAULICS

PNEUMATICS

BOSCH REXROTH PNEUMATICS

AIR TREATMENT

TUBE FITTINGS

HOSETAILS & ADAPTORS

STAINLESS STEEL

VALVES

TUBING & HOSECLIPS

HOSE REELS, PUMPS & GARAGE EQUIPMENT

AIR, WATER & PAINT GUNS

VACUUM EQUIPMENT

COMPRESSED AIR SYSTEMS

MALLEABLE IRON

TOOLS & MEASURING

AIR TOOLS COMPRESSORS

ENGINEERING MAINTENANCE

PARTS HANDLING & STORAGE

ALUMINIUM PROFILE & ACCESSORIES

SPILL CONTROL

Copper & Anti-Seize Paste

- High Temperature Anti-Seize

Protects against fretting, seizing and corrosion. Enables easy assembly and dismantling of threaded fasteners even after exposure to high temps., providing anti-seize protection to 1100°C.



- Formulated with micro-ionised Copper and Anti-Oxidant additives
- Reduces friction and wear
- Assists easy disassembly of threaded components
- Good corrosion protection even in highly corrosive environments
- Lead & Nickel free
- Anti-seize protection: -30°C to +1100°C
- Lubricates to 300°C



P42

Order Code	Description	Size	€
6190014010	High Temperature Anti-Seize	400ml	9.26
6150001030	High Temperature Anti-Seize	500gr	18.40

Dry Film Anti-Stick

- Dry PTFE Lubricant

A dry PTFE based lubricating film, that is unaffected by water, oil or solvents and is suitable where the use of wet or silicone lubricants is undesirable.



- Forms a dry non-staining film
- Exhibits excellent friction retardant properties
- Ideal for the textile and paper industries where direct contact is involved with surfaces that would be contaminated by wet or silicone based lubricants
- Wide operational temp. range; -100°C to +200°C



P42

Order Code	Description	Size	€
6140003500	Dry PTFE Lubricant	400ml	17.07

Dry Moly

- Dry Molybdenum Disulphide Lubricant

A resin bonded, high pressure resistant, dry film lubricant containing Molybdenum Disulphide (MoS₂) for metal-to-metal lubrication where a wet film cannot be tolerated. Once applied, the MoS₂ lubricant prevents seizing, fretting, scuffing & reduces friction.



- Tough and long lasting
- Repels water
- Dry film will not attract dust, dirt & contaminants
- Assists assembly and running-in
- Highly effective in high-load applications
- Performance can be enhanced by polishing the dry film with a soft, dry cloth
- Operational temp. range: -150°C to +400°C



P42

Order Code	Description	Size	€
6150002000	Dry MoS ₂ Lubricant	400ml	15.91

Silicone Lubricant

- General Purpose

A general purpose, medium duty, silicone lubricant. Suitable for use in a wide variety of applications where reduced friction is required. WRAS approved for use in the water industry where contact with potable water may occur e.g. lubrication of pipe push fittings.



- Odourless, colourless
- Non-toxic, safe for use with potable water systems
- Inhibits adhesion of adhesives inks & dyes
- Exhibits excellent slip properties on blades, tables, chutes and conveyors
- Safe on wood, glass, fabrics, metals, most plastics, rubbers and most hard surfaces
- Eliminates friction and fabric drag
- Can be used as a mould release agent on plastics and rubbers
- WRAS approved product: 0311522
- Temp; -50°C to +200°C



P42

Order Code	Description	Size	€
6190015000	General Purpose Silicone Lubricant	500ml	4.75

COUPLINGS

HYDRAULICS

PNEUMATICS

BOSCH
REXROTH
PNEUMATICSAIR
TREATMENTTUBE
FITTINGSHOSETAILS &
ADAPTORSSTAINLESS
STEEL

VALVES

TUBING &
HOSECLIPSHOSE REELS,
PUMPS &
GARAGE
EQUIPMENTAIR, WATER
& PAINT
GUNSVACUUM
EQUIPMENTCOMPRESSED
AIR SYSTEMSMALLEABLE
IRONTOOLS &
MEASURINGAIR TOOLS
COMPRESSORSENGINEERING
MAINTENANCEPARTS
HANDLING
& STORAGEALUMINIUM
PROFILE &
ACCESSORIESSPILL
CONTROL

Silicone Anti-Stick

- Concentrated Silicone Lubricant

A high purity, highly concentrated silicone lubricant which provides extended lubrication intervals. Based upon silicones approved by the FDA, & considered safe for use in potable water systems.



- Lubricant is odourless, tasteless, colourless and chemically inert
- Ideal for use where high standards of purity are essential
- Suitable as anti-stick agent on conveyors, labellers, heat sealers & packaging applications
- Helps prevent line jams, inhibits adhesives build up on blades & sealers
- WRAS Approved Product: 0311522
- Non-toxic

Ambergrease EXL - Extended Life, High Performance Bearing Grease

A premium quality, extremely stable, lithium-calcium, multi-complex soap thickened grease, which extends re-lubrication intervals in a wide range of working conditions.



- Suitable for use in all types of anti-friction sliding surfaces and plain bearings
- Exceptional load carrying capacity;
 - Timken OK load (IP236) 25kg,
 - Mean Hertz Load 125kg
- Exceptional EP resistance; - Shell 4 ball weld load (IP239) > 800kg
- Highly visible red standard grease classified NLGI 2 type
- Extends lubrication intervals by at least 3 times
- Compatible with most other greases
- Temperature range: -30°C to +150°C

P42

Order Code	Description	Size	€
6140001500	Concentrated Silicone Lubricant	400ml	15.48

P42

Order Code	Description	Size	€
6150001010	High Performance Bearing Grease	400gr	8.70

Greasil 4000

- Pure Silicone Grease

High quality, pure, silicone grease which is water repellent and non-melting. As an anti-tracking, anti-arcing coating, it will protect electrical systems. It can also be used as a multipurpose lubricating agent in a wide variety of industries.

- Clear, colourless silicone, NLGI grade 2 grease
- Suitable for waterproofing all types of electrical systems
- 4-ball weld load of 200kg
- Excellent dielectric resistance
- No adverse effects on rubber, plastic and metals
- Temperature range: -50°C to +220°C
- Handy 100ml tube



P42

Order Code	Description	Size	€
63700L0017	Pure Silicone Grease	100ml	8.74

- COUPLINGS
- HYDRAULICS
- PNEUMATICS
- BOSCH REXROTH PNEUMATICS
- AIR TREATMENT
- TUBE FITTINGS
- HOSETAILS & ADAPTORS
- STAINLESS STEEL
- VALVES
- TUBING & HOSECLIPS
- HOSE REELS, PUMPS & GARAGE EQUIPMENT
- AIR, WATER & PAINT GUNS
- VACUUM EQUIPMENT
- COMPRESSED AIR SYSTEMS
- MALLEABLE IRON
- TOOLS & MEASURING
- AIR TOOLS COMPRESSORS
- ENGINEERING MAINTENANCE
- PARTS HANDLING & STORAGE
- ALUMINIUM PROFILE & ACCESSORIES
- SPILL CONTROL

Cold Galvanise Spray - Zinc-Rich Protective Coating

A zinc rich acrylic coating that offers excellent cathodic anti-corrosion protection to steel fabrications and all exposed ferrous metalwork.



- Sacrificial coating protects metalwork and steels from corrosion
- For use on bare non-rusted steel and seams
- Zinc 99% pure, content 88% cured film
- Suitable for use as renovation media as specified in BS EN ISO 1461: 1999
- Suitable as primer, can be over-coated with acrylic, cellulose, alkyd, polyurethane-alkyd and epoxy paint systems
- Matt, dark grey, weathered appearance
- Fast drying • Xylene free

Order Code	Description	Size	€
6190011001	Zinc-Rich Protective Coating	400ml	10.74



Bright Cold Galvanise - Zinc-Rich Bright Protective Coating

A zinc rich acrylic coating blended with aluminium flakes to produce a bright freshly galvanised looking, aesthetic coating.



- Barrier coating protects metalwork and steels from corrosion
- For use on bare non-rusted steel and seams
- 99% pure zinc, contains non-leaching aluminium
- Suitable as primer, can be over-coated with acrylic, cellulose, alkyd, polyurethane-alkyd and epoxy paint systems
- Suitable as top coat for Cold Galvanise
- Fast drying
- Weathers naturally to match the appearance of hot-dip galvanised metal
- Xylene free

Order Code	Description	Size	€
6190011501	Zinc-Rich Bright Protective Coating	400ml	12.44



Galva Shine - Aesthetic Protective Coating

Protective coating with a finishing appearance of freshly hot dipped galvanised parts.



- Resists weathering, retaining a super bright finish
- Adheres strongly to metal, offering a long-term barrier protective coating
- Free from lead, chromate and chlorinated solvents
- Applications: Any metal structure requiring corrosion protection whilst maintaining the look of the freshly, hot dipped galvanised shine

Order Code	Description	Size	€
6190011510	Aesthetic Galvanising Coating	400ml	9.09

ZR99 - Zinc Corrosion Inhibitor

ZR99 is recommended for the cold galvanising and durable protection of all metallic parts, whether iron or alloy. The zinc in ZR99 is exceptionally pure (99.9% pure); it dries quickly to an even thickness with a glossy finish.



- Fast drying: touch dry 15 mins., complete cure 24 hours
- Gloss finish/hammered
- Can be over-painted
- The dry film can be welded (except argon welding)
- Temperature range: -50°C to +550°C
- Formulation guaranteed free from chlorines, hydrocarbons and aromatics

Order Code	Description	Size	€
63700M8668	High Temp. Zinc Corrosion Protection	400ml	8.83



Corrosion Inhibitor - Waxy Anti-Corrosion Treatment

A clear protective coating that provides long lasting protection against rust and corrosion on internal and external metallic components.



- Film will not harden or crack
- Suitable for protection of ferrous metals in conditions of high humidity
- Film allows for subsequent handling and resists acid finger painting
- Forms a continuous homogenous film
- Will not stain or mark components
- Removes surface moisture on application
- Suitable as anti-seize coating on bolts, hinges, fixings and moving parts
- Passes MIL-PRF-16173E
- Over 250 hours continuous protection in salt spray tests

Order Code	Description	Size	€
6190011600	Long Term Anti-Corrosion	400ml	10.02



COUPLINGS

HYDRAULICS

PNEUMATICS

BOSCH
REXROTH
PNEUMATICSAIR
TREATMENTTUBE
FITTINGSHOSETAILS &
ADAPTORSSTAINLESS
STEEL

VALVES

TUBING &
HOSECLIPSHOSE REELS,
PUMPS &
GARAGE
EQUIPMENTAIR, WATER
& PAINT
GUNSVACUUM
EQUIPMENTCOMPRESSED
AIR SYSTEMSMALLEABLE
IRONTOOLS &
MEASURINGAIR TOOLS
COMPRESSORSENGINEERING
MAINTENANCEPARTS
HANDLING
& STORAGEALUMINIUM
PROFILE &
ACCESSORIESSPILL
CONTROL

Tufcut Spray

- Metal Cutting Lubricant

A ready-to-use metal cutting spray for the precision application of metal working lubricant, providing faster production times and improved surface finish. A must use product where 'right first time' results are essential.



- Suitable for a wide range of metals, including stainless and high carbon steels
- Improves heat dissipation
- Prevents chip welding
- Allows heavier close tolerance cuts
- Ideal for reaming, tapping and drilling
- Economical in use



P42

Order Code	Description	Size	€
6150005500	Metal Cutting Lubricant Aerosol	400ml	14.63

Tufcut Liquid

- Metal Cutting Lubricant

Tufcut liquid is a ready-to-use metal cutting lubricant for use in machining metal and some composite materials. The advanced formulation of this concentrated liquid provides exceptional lubricating and heat dispersant properties with improved finish to machined surfaces.



- Handy pack size allows application direct to the work piece
- Helps prevent chip welding & increases tool life
- Approved by Augusta Westland for machining composite materials (N° LIS 6045)
- Suitable for a wide range of metals, including stainless and high carbon steels
- Improves heat dissipation
- Bulk pack suitable for automated applications



P42

Order Code	Description	Size	€
6150006000	Metal Cutting Lub. (Bottle)	350ml	16.06
6250007000	Metal Cutting Lubricant	5ltr	91.62

Tufcut Foam

- Foaming Metal Cutting Lubricant

Foaming metal working lubricant for use on vertical surfaces or where longer contact time is required. The foam controls the rate at which the Tufcut lubricant is released to the work area, providing deeper penetration for close tolerance gaps and even coverage.



- Proven Tufcut Liquid in a foam
- Clings to vertical surfaces
- Dissipates heat and allows heavier, close tolerance cuts
- Excellent results across a wide range of metals including high carbon, high speed, and high tensile steels
- Particularly effective for in-place maintenance of turbine blades



P42

Order Code	Description	Size	€
6150006500	Foaming Metal Cutting Lub. Aerosol	300ml	15.98

Tufcut Compound

- Metal Cutting Lubricant

A thick paste-like compound with all the performance of Tufcut in a thick, tenacious lubricating film. The high-cling compound adheres to tool pieces, preventing throw-off and wastage, whilst delivering excellent lubricating and heat reduction properties.



- Very economical in use
- Pleasant mild-pine perfume
- Eliminates chip weld and prolongs tool life
- Ready-to-use straight out of the tin
- Can be used on most metals, particularly effective on steel



P42

Order Code	Description	Size	€
6150006100	Metal Cutting Lubricant (Tin)	500gr	12.67

COUPLINGS

HYDRAULICS

PNEUMATICS

BOSCH
REXROTH
PNEUMATICS

AIR
TREATMENT

TUBE
FITTINGS

HOSETAILS &
ADAPTORS

STAINLESS
STEEL

VALVES

TUBING &
HOSECLIPS

HOSE REELS,
PUMPS &
GARAGE
EQUIPMENT

AIR, WATER
& PAINT
GUNS

VACUUM
EQUIPMENT

COMPRESSED
AIR SYSTEMS

MALLEABLE
IRON

TOOLS &
MEASURING

AIR TOOLS
COMPRESSORS

ENGINEERING
MAINTENANCE

PARTS
HANDLING
& STORAGE

ALUMINIUM
PROFILE &
ACCESSORIES

SPILL
CONTROL

Bioweld**- Water-Based Weld Anti-Spatter**

A water based spatter release agent which gives exceptional results without the use of harmful solvents, silicones or mineral oils.



- Odourless, non-flammable and safe in use
- Fine spray pattern ensures total control and economical coverage
- Prevents spatter adhesion on welding equipment, work pieces, surfaces, jigs and surrounding areas
- Film is easily wiped away and leaves no residues
- Allows post welding operations, painting, plating, galvanising etc. to be undertaken
- Contains rust inhibiting agent

P42

Order Code	Description	Size	€
6190004600	Water-Based Weld Anti-Spatter	400ml	4.44

Spatter Release - Non-Flammable Weld Anti-Splatter

Traditional solvent based spatter release formulation.



- No silicones or flammable solvents
- Prevents spatter adhesion on welding equipment, workpieces, surfaces, jigs and surrounding areas
- Does not affect post welding operations
- Post welding film is easily wiped away

P42

Order Code	Description	Size	€
6190004150	Non-Flammable Weld Spatter	400ml	3.46

Tough Wipe 100 Wipe Tubs**- High Absorbency Cleaning Wipes**

Super high absorbency hand wipes over layered with an effective polymer web to give all the cleaning power of pumice without the scratching.



- Cleaner and towel together in one convenient wipe
- Leaves hands deep clean
- Hands dry without stickiness normally associated with waterless cleaners
- No contamination from heavy perfumes
- Highly effective on a range of soiling types: - grease, oils, petrochemicals, paints, adhesives, tar, bitumen, resins, silicone
- Contains skin conditioner to replace natural oils removed in cleaning
- Contains a bactericide effective against leptospira (Weils Disease)



P42

Order Code	Description	Size	€
6330272100	High Absorbency Cleaning Wipes	100pcs	27.93

Tough Wipe 30 Wipe Pouch**- High Absorbency Cleaning Wipes**

Super high absorbency hand wipes over layered with an effective polymer web to give all the cleaning power of pumice without the scratching.

- Cleaner and towel together in one convenient wipe
- Leaves hands deep clean
- Hands dry without stickiness normally associated with waterless cleaners
- No contamination from heavy perfumes
- Highly effective on a range of soiling types - grease, oils, petrochemicals, paints, adhesives, tar, bitumen, resins, silicone
- Contains skin conditioner to replace natural oils removed in cleaning
- Contains a bactericide effective against leptospira (Weils Disease)



P42

Order Code	Description	Size	€
6330272030	High Absorbency Cleaning Wipes	30pcs	6.43

COUPLINGS

HYDRAULICS

PNEUMATICS

BOSCH
REXROTH
PNEUMATICSAIR
TREATMENTTUBE
FITTINGSHOSETAILS &
ADAPTORSSTAINLESS
STEEL

VALVES

TUBING &
HOSECLIPSHOSE REELS,
PUMPS &
GARAGE
EQUIPMENTAIR, WATER
& PAINT
GUNSVACUUM
EQUIPMENTCOMPRESSED
AIR SYSTEMSMALLEABLE
IRONTOOLS &
MEASURINGAIR TOOLS
COMPRESSORSENGINEERING
MAINTENANCEPARTS
HANDLING
& STORAGEALUMINIUM
PROFILE &
ACCESSORIESSPILL
CONTROL

Amberclens FG - NSF A1 Foam Cleaner



Amberclens FG is a heavy duty, biodegradable, water-based all-purpose foam cleaner/degreaser. Specially formulated, it contains a blend of synthetic and natural surface-active components, for use in food processing and packaging areas. Suitable for use in many different types of cleaning applications in the food and drinks industry. The stable, non-dripping foam ensures longer contact time and improved performance, especially on vertical surfaces.

- NSF A1 registered (N° 137995) meets USDA 1998 A1 for use in food industry
- Readily biodegradable as per OECD 301B
- Quickly penetrates, removes grease, oil, grime and tough stains from any washable surface
- Stable, non-dripping foam formula - limits over application
- Contains no ammonia, chlorinated or petroleum solvents
- Free from phosphates, EDTA & nonylphenolethoxylates
- Safe on all metals, safe on plastics, if rinsed after application



P42

Order Code	Description	Size	€
6150009300	Heavy Duty Foam Cleaner	500ml	7.00

Amberklene FG - NSF A8 & C1 Biodegradable Cleaner/Degreaser



Amberklene FG is a heavy duty biodegradable, industrial cleaner/degreaser. An innovative solvent blend without chlorinated solvents or ozone-depleting components, specially designed for use in inedible product processing, non-processing & exterior areas.



- NSF A8 & C1 registered (N° 137996 & 140261), meets guidelines for use in food industry
- High flash point of 40°C for application safety
- Dissolves grease, oil, lubricants, tar & adhesives
- Penetrates quickly & removes dirt & moisture
- Cleans and degreases equipment, metal parts and machinery
- Neutral product, non-staining
- Does not contain water or chlorinated solvents
- Non-corrosive to metal
- Test on plastic and some paints prior to use
- Fitted with 360° Spray System for all angle use, even upside down



P42

Order Code	Description	Size	€
6150009310	Solvent Based Degreaser	500ml	10.37
6150009410	Solvent Based Degreaser	5ltr	65.77

Aquasafe FG - NSF A1 Water Based Cleaner/Degreaser



Aquasafe FG is a concentrated biodegradable, industrial strength, water-based cleaner/degreaser. An exceptional multi-purpose cleaner containing a blend of synthetic and natural surface-active components for general industrial maintenance. Authorised for use in food processing and packaging areas and as a floor and wall cleaner. A non-flammable, non-abrasive formula to be used in multitude of cleaning applications.



- NSF A1 registered (N° 137997) meets USDA 1998 A1 for use in food industry
- Readily biodegradable as per OECD 301B
- Quickly penetrates removing grease, oil, grime and tough stains from any washable surface
- Effective in both cold and warm water
- Can be diluted up to 1:100
- Contains no ammonia, chlorinated, or petroleum solvents
- Safe on all metals & plastics (if rinsed after)

P42

Order Code	Description	Size	€
6150009320	Water Based Cleaner	750ml	12.52

Industrial Degreaser FG - NSF A8 & K1 Heavy Duty Degreaser



An innovative solvent blend that is excellent for use where rapid turnaround is necessary and low flash point solvents can be used. Dissolves and removes greases, oil, lubricants, adhesives and contaminations from equipment, machinery, motors and metal parts. Specially formulated for degreasing electric motors.

- NSF A8 and K1 registered (N° 140255 and 140250) for use in food industry
- Cuts through dirt and grease
- Fast evaporation to minimise downtime, leaves no residue
- Easy 'in place' cleaning with minimal odour
- Non-corrosive & non-staining
- Safe on most plastics, coating and rubbers (always test prior to use)
- Fitted with 360° Spray System for all angle use, even upside down



P42

Order Code	Description	Size	€
6150009420	Heavy Duty Degreaser	500ml	9.57
6150009430	Heavy Duty Degreaser	5ltr	68.42

COUPLINGS

HYDRAULICS

PNEUMATICS

BOSCH
REXROTH
PNEUMATICS

AIR
TREATMENT

TUBE
FITTINGS

HOSETAILS &
ADAPTORS

STAINLESS
STEEL

VALVES

TUBING &
HOSECLIPS

HOSE REELS,
PUMPS &
GARAGE
EQUIPMENT

AIR, WATER
& PAINT
GUNS

VACUUM
EQUIPMENT

COMPRESSED
AIR SYSTEMS

MALLEABLE
IRON

TOOLS &
MEASURING

AIR TOOLS
COMPRESSORS

ENGINEERING
MAINTENANCE

PARTS
HANDLING
& STORAGE

ALUMINIUM
PROFILE &
ACCESSORIES

SPILL
CONTROL

Air Duster FG

- Powerful, Dry, Inert Gas



A liquefied propellant which provides a powerful blast for easy removal of dust and loose contamination from precision equipment such as cameras and printed circuit boards to general cleaning in areas where the use of a liquid cleaner may be undesirable.



- Non-flammable
- Powerful yet economical in use
- Extension tube helps to reach inaccessible/remote areas
- Non ozone depleting, does not contain CFC's or HCFC's
- Meets military specification - NATO cat. No. 6830-99-3826112
- Safe on plastics, rubbers and painted surfaces
- Air Duster FG is NSF K2 registered (N° 140256) for use in the food processing industry



P42

Order Code	Description	Size	€
6150009440	Air Duster	400ml	13.48

Label & Adhesive Removal FG

- NSF Reg. Label & Adhesive Remover



A unique blend of citrus and hydrocarbon oils which quickly releases self-adhesive labels and stickers by loosening the adhesive, thereby assisting in the clean and easy removal of all residues. Specifically formulated for use in the food industry.



- NSF K3 registered (N° 140259) for use in the food industry
- Removes adhesives and paper labels in three minutes
- Particularly effective in removing shipping labels on pallets
- Good material compatibility (always test prior to use)
- Improves packaging line efficiency by reducing jamming caused by label and adhesive build-up



P42

Order Code	Description	Size	€
6150009450	Adhesive Remover	200ml	7.15

Contact Cleaner FG

- NSF Registered Electrical Contact Cleaner



A highly effective precision cleaning solvent which does not contain chlorinated, alcohol or glycol ether components. Contact Cleaner FG improves the performance and reliability of electrical/electronic equipment in the food industry by preventing contact failures or malfunctions through dissolving and /or rinsing away contaminations, which may hold moisture and cause corrosion or arcing.

- NSF K2 registered (N° 139627) for use in the food industry
- Fast cleaning action
- Removes flux traces, light oils and other components
- Prolongs the life expectancy of components
- Non-conductive and non-corrosive
- Evaporates completely, leaves no residue
- Safe for all metal surfaces, most rubbers, plastics and coatings
- Fitted with 360° Spray System for all angle use, even upside down



P42

Order Code	Description	Size	€
6150009510	Electrical Switch Cleaner	400ml	8.67

Stainless Steel Cleaner FG

- NSF A7 & C1 S/S Cleaner



Stainless Steel Cleaner FG is a water based, foaming cleaner for the degreasing and cleaning of stainless steel surfaces. The product combines tough cleaning power with a durable protective coating all in one application.



- NSF A7 and C1 registered (N° 138212) meets guidelines for use in food industry
- Eliminates fingerprints, watermarks, dust and dirt from stainless steel
- Leaves a protective non-greasy barrier for a long term shine
- Provides metal surfaces with a long term protective coating which inhibits staining and contamination
- Also suitable for aluminium, chrome, and most plastics (test prior to use)
- Non-corrosive
- Fitted with a 360° Spray System for all angle use, even upside down



P42

Order Code	Description	Size	€
6150009360	Metal Cleaner	500ml	9.61

COUPLINGS

HYDRAULICS

PNEUMATICS

BOSCH
REXROTH
PNEUMATICSAIR
TREATMENTTUBE
FITTINGSHOSETAILS &
ADAPTORSSTAINLESS
STEEL

VALVES

TUBING &
HOSECLIPSHOSE REELS,
PUMPS &
GARAGE
EQUIPMENTAIR, WATER
& PAINT
GUNSVACUUM
EQUIPMENTCOMPRESSED
AIR SYSTEMSMALLEABLE
IRONTOOLS &
MEASURINGAIR TOOLS
COMPRESSORSENGINEERING
MAINTENANCEPARTS
HANDLING
& STORAGEALUMINIUM
PROFILE &
ACCESSORIESSPILL
CONTROL

Chain Lube FG

- NSF H1 Chain Lubricant with PTFE



Chain Lube FG is a high performance, foaming, chain lubricant based on stable vegetable oils with added PTFE. Chain Lube FG is specially designed to provide convenient, effective lubrication and protection in applications where a clean lubricant is preferred.



- NSF H1 registered (N° 137998) meets USDA 1998 H1 guidelines for use as a lubricant with possible incidental food contact
- Formulated using only food industry acceptable components
- Good adhesion on metal surfaces, even at elevated temperatures & high rpm
- Excellent penetration and lubrication properties
- Leaves a tenacious, long lasting lubrication film
- Good load carrying properties
- Prevents corrosion & resists water wash off
- Operating temperature from -15°C to +175°C

P42

Order Code	Description	Size	€
6150009330	Chain & Drive Lubricant	400ml	15.61

Belt Dressing FG

- Adhesive Belt Lubricant



A clear liquid formulated specifically for use on all types of belts to increase pulling power, prevent belt slippage due to heat, cold, dampness or dust, and eliminate belt squeak.



- Works on all types of belt - vee, flat, toothed, rubber, leather and fabric
- Keeps belts 'soft' and glaze free
- Protects belts from deterioration through oxidation and heat
- Waterproofs
- Belt Dressing FG is NSF H1 registered (N° 140257) and has been formulated for use in the food industry where direct contact with food may occur

P42

Order Code	Description	Size	€
6150009480	Belt Dressing	400ml	9.30

Machine Oil FG

- NSF H1 General Purpose Lubricant



Machine Oil FG is a general purpose lubricant and penetrating oil based on pharmaceutical grade, highly refined white oils. An extremely efficient and effective general purpose lubricant for use on food processing equipment where incidental food contact may occur.



- NSF H1 registered (N° 137999) meets USDA 1998 H1 guidelines, to be used as a lubricant possible incidental food contact
- Formulated using only food industry acceptable components
- Does not resinify, allowing longer lubrication intervals
- Creates an effective water-repellent film
- Prevents corrosion & extends machine and equipment life
- Reduces friction and wear efficiently over a wide temp. range -18°C to +120°C
- Safe for use on metals, most plastics

P42

Order Code	Description	Size	€
6150009340	Heavy Duty Lubricant	400ml	11.38
6150009460	Heavy Duty Lubricant	5ltr	73.27

Penetrating Oil FG

- NSF Reg. Penetrant for Seized Parts



Specifically developed for the food industry, Penetrating Oil FG rapidly penetrates to loosen rust and scale to free corroded fasteners and mechanical components. Eases disassembly of mechanical equipment, fittings and assemblies.



- NSF H1 registered (N° 140260) for use in the food industry
- Penetrates deep into threads quickly
- Frees metal parts seized by dirt, rust, corrosion or dried-up greasy deposits
- Assists quick disassembly of mechanical components, fittings, assemblies, nuts and bolts and other close tolerance fasteners
- Reduces scrap rate of seized parts
- Does not contain silicones
- Safe for use on all metals and for most plastics and rubbers

P42

Order Code	Description	Size	€
6150009470	Low Surface Tension Lube	400ml	7.89

COUPLINGS

HYDRAULICS

PNEUMATICS

BOSCH
REXROTH
PNEUMATICS

AIR
TREATMENT

TUBE
FITTINGS

HOSETAILS &
ADAPTORS

STAINLESS
STEEL

VALVES

TUBING &
HOSECLIPS

HOSE REELS,
PUMPS &
GARAGE
EQUIPMENT

AIR, WATER
& PAINT
GUNS

VACUUM
EQUIPMENT

COMPRESSED
AIR SYSTEMS

MALLEABLE
IRON

TOOLS &
MEASURING

AIR TOOLS
COMPRESSORS

ENGINEERING
MAINTENANCE

PARTS
HANDLING
& STORAGE

ALUMINIUM
PROFILE &
ACCESSORIES

SPILL
CONTROL

Silicone FG - NSF H1 Registered Silicone Lubricant



For use in the food industry where incidental food contact may occur. Excellent versatile lubricant; odourless, colourless & tasteless. A blend of high quality, stable silicone oils. The highly versatile, non-corrosive formula lubricates, protects, waterproofs and restores a wide range of parts & equipment. Ensures superior lubrication of plastics and provides excellent anti-friction properties.

- NSF H1 registered (N° 138000) meets USDA 1998 H1, to be used as a lubricant with possible incidental food contact
- Excellent general lubricating properties
- Forms a colourless, non-staining film
- Highly water-resistant and repels water from treated areas
- Eliminates squeaking, binding and sticking
- Protects metals, plastics, rubbers and other surfaces
- Effective over a wide temp range: (-40°C to +200°C)
- Fitted with 360° Spray System for all angle use, even upside down



P42

Order Code	Description	Size	€
6150009350	Silicone Lubricant	400ml	9.26

Ambergrease FG2 - High Temperature Bearing Grease



Designed as a high temperature resistant food industry grease, containing PTFE and other additives, all of which are FDA listed. Suitable for all plain and anti-friction bearings as well as sliding surfaces. Resistant to a wide range of chemical cleaning solutions used in the food and drink industries. It provides long term lubrication at high temperatures, greatly extending lubrication intervals and reducing the formation of carbon deposits associated with many high temperature greases.

- NSF H1 registered (N° 138265) meets USDA 1998 H1 guidelines, to be use as a lubricant with possible incidental food contact
- Cooper corrosion (IP112) - Negative
- Water washout (ASTM D1264) @ 38°C - <2% max
- Operating temperature range -20°C to +220°C
- Mean Hertz load - 30kg
- Does not effect most rubber type sealing materials
- This product contains no genetically modified ingredients



P42

Order Code	Description	Size	€
6150009380	High Temp. Bearing Grease	400gr	29.55

Ambergrease FG1 - General Purpose Grease For Food Processing Equipment



Designed to cover a wide range of food safe applications, where extremes of temperature, wet and saturated environments, heavily loaded applications, or where dust and other contaminants are present. It contains Extreme Pressure (EP) additives and PTFE to provide a high degree of anti-wear performance. All ingredients are FDA listed. Suitable for all plain and anti-friction bearings as well as sliding surfaces.

- NSF H1 registered (N° 138264) meets USDA 1998 H1 guidelines, to be use as a lubricant with possible incidental food contact
- Provides long-term lubrication on all processing equipment
- Protects against corrosion in wet or saturated environments
- Excellent extreme pressure performance
- Extends lubrication intervals & working life of components
- Operational temp. from -50°C to +165°C
- This product contains no genetically modified ingredients



P42

Order Code	Description	Size	€
6150009370	Multi-Purpose Bearing Grease	400gr	17.64

Ambergrease FG3 - NSF H1 Multi-Purpose Bearing Grease



Multi-purpose grease which provides long-term lubrication where incidental food contact may occur in food processing areas. The presence of EP (Extreme Pressure) additives results in a long-lasting grease which offers many of the benefits of higher priced greases.

- NSF H1 registered (N° 140248) for use in the food industry
- Provides stable, long-term lubrication
- Resistant to water and steam
- Protects against corrosion
- Operational temperature: -20°C to +140°C (180°C intermittent)



P42

Order Code	Description	Size	€
6150009490	Multi-Purpose Grease	400gr	12.42

COUPLINGS

HYDRAULICS

PNEUMATICS

BOSCH
REXROTH
PNEUMATICSAIR
TREATMENTTUBE
FITTINGSHOSETAILS &
ADAPTORSSTAINLESS
STEEL

VALVES

TUBING &
HOSECLIPSHOSE REELS,
PUMPS &
GARAGE
EQUIPMENTAIR, WATER
& PAINT
GUNSVACUUM
EQUIPMENTCOMPRESSED
AIR SYSTEMSMALLEABLE
IRONTOOLS &
MEASURINGAIR TOOLS
COMPRESSORSENGINEERING
MAINTENANCEPARTS
HANDLING
& STORAGEALUMINIUM
PROFILE &
ACCESSORIESSPILL
CONTROL

Assembly Grease FG - Assembly Lubricant and Anti-Seize Compound



A white, non-toxic grease-like compound with a high solids content designed for use as an assembly lubricant for bushes, sliding surfaces and small open plastic or metal gears and as an anti-seize compound for threaded fasteners. The compound is designed to prevent damage during start up and protect against premature wear during the running in period.

- NSF H1 registered (N° 138266) meets USDA 1998 H1 guidelines, to be used as a lubricant with possible incidental food contact
- Low friction coefficient provides protection during running in, prolonging component life
- Provides protection against scuffing during assembly
- Prevents seizure of threaded components enabling easy and quick dismantling
- Effective from -30°C to +150°C as a lubricant and to +1100°C as anti-seize



Assembly Paste FG

- Assists Assembly of Components



Tenacious white paste formulated specifically for use in the food industry as a start-up lubricant, reducing wear to moving components during the running-in period. Assembly Paste FG has a high solids content which provides instant lubrication to bearings and sliding surfaces whilst the bearing grease is worked to release its lubricating oils.

- NSF H1 registered (N° 139900) for use in the food industry
- Compatible with most grease types
- Prevents galling and metal-on-metal damage
- Operational temperature: -30°C to +150°C as a lubricant and +1100°C as an anti-seize
- Allows moving components to be run at full operating speed sooner without the risk of friction build-up



P42

Order Code	Description	Size	€
6150009390	Assembly Lubricant & Anti-Seize	500gr	24.06

P42

Order Code	Description	Size	€
6150009400	Assembly Grease	400ml	10.26

Food Grease FG

- NSF Registered Spray Grease



Multipurpose grease for the lubrication of a wide variety of parts, hinges, and bearings. Formulated from food processing safe grease and solvents, this NLGI2 grease benefits from a controlled spray pattern combined with a temporary, semi-liquid state upon application, allowing the grease to penetrate moving parts and deliver superior lubricant coverage.

- NSF H1 registered (N° 140258) for use in the food industry
- NLGI grade 2 grease in an aerosol
- Good penetration before thickening rapidly
- Medium duty grease
- Operational temperature: -20°C to +140°C (180°C intermittent)



P42

Order Code	Description	Size	€
6150009500	Spray NLGI 2 Grease	400ml	9.54

COUPLINGS

HYDRAULICS

PNEUMATICS

BOSCH REXROTH PNEUMATICS

AIR TREATMENT

TUBE FITTINGS

HOSETAILS & ADAPTORS

STAINLESS STEEL

VALVES

TUBING & HOSECLIPS

HOSE REELS, PUMPS & GARAGE EQUIPMENT

AIR, WATER & PAINT GUNS

VACUUM EQUIPMENT

COMPRESSED AIR SYSTEMS

MALLEABLE IRON

TOOLS & MEASURING

AIR TOOLS COMPRESSORS

ENGINEERING MAINTENANCE

PARTS HANDLING & STORAGE

ALUMINIUM PROFILE & ACCESSORIES

SPILL CONTROL